

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	HYDROGEL	
PRODUCT CODE	2298	
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 3955 W. Mesa Vista Ave., Unit A-10, Las Vegas, NV, 89118 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020	
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126	
USES	Compounding (commonly used as an ultrasound gel)	

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION	Based on availab	le data, tł	ne classification c	riteria are no	ot met.		
PICTOGRAM	Not Applicable						
SIGNAL WORD	Not applicable						
HAZARD STATEMENT(S)	Not applicable						
AUSTRALIA-ONLY HAZARDS	Not applicable						
PRECAUTIONARY STATEMENT(S)	Prevention	Not app	olicable				
	Response	Not app	olicable				
	Storage	Not app	olicable				
	Disposal	Not app	olicable				
HMIS CLASSIFICATION	Health Hazard		0		Flammability	0	
	Reactivity		0		Personal Protection	А	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Not applicable
BOTANICAL NAME	Not applicable
SYNONYM	Not applicable
CHEMICAL FORMULA	Not applicable
CAS NUMBER	Not applicable
ALTERNATE CAS NUMBER	Not applicable



YOUR TRUSTED PARTNER IN COMPOUNDING

MOLECULAR WEIGHT	Not applicable	Not applicable					
COMPOSITION	CHEMICAL NAME	CAS NUMBER	% BY WEIGHT				
	PROPYLENE GLYCOL	57-55-6	*Proprietary				
	SODIUM HYDROXIDE	1310-73-2	*Proprietary				
	6 1	There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.					
NOTES	*Proprietary: Ingredients indicated as accordance with 29 CFR 1910.1200, t						

trade secret.

Non-scented silicone-in-water microemulsion with rapid absorption properties.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Not expected to be a hazard under normal use. Wash with soap and water if irritation occurs. Seek medical attention if irritation develops and persists.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Not expected to be a hazard under normal use. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
SYMPTOMS AND EFFECTS	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable
FLAMMABLE PROPERTIES	May be combustible at high temperature.
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
EXTINGUISHING MEDIA	Small fire: dry chemical, CO ₂ or water spray. Large fire: dry chemical, CO ₂ , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eves

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
METHODS & MATERIAL FOR CONTAINMENT	On land, sweep or shovel into suitable containers.
CLEANUP PROCEDURE	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition.
	Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean

PRECAUTIONS FOR FIREFIGHTERS

HYDROGEL

the affected area. Do not flush into sewerage system or to drains.



SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Avoid contact with eyes. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabelled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
STORAGE CONDITIONS	Store in original container, tightly sealed, protected from direct sunlight and moisture. Controlled room temperature indicates a temperature 20° to 25°C (68° to 77°F); that results in a mean kinetic temperature calculated to be not more than 25°C; and that allows for excursions between 15° and 30°C (59° and 86°F) that are experienced in pharmacies, hospitals, and warehouses. Provided the mean kinetic temperature remains in the allowed range, transient spikes up to 40°C (104°F) are permitted as long as they do not exceed 24 hours.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Keep in well closed, light-resistant containers at controlled room temperature.

Chemical Name: PROPYLENE GLYCOL CAS #: 57-55-6

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	N/L	N/L	-	-	-	-
ACGIH TLV	N/L	N/L	N/L	-	-	-
NIOSH	N/L	N/L	N/L	N/L	N/L	-
AIHA WEEL	10 mg/m ³	N/L	N/L	-	-	-
Safe Work Australia HSIS	10 mg/m ³	N/L	N/L	-	-	-
HSE	10 mg/m ³	N/L	N/L	-	-	-

Chemical Name: SODIUM HYDROXIDE CAS #: 1310-73-2

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	2 mg/m ³	2 mg/m ³	-	-	-	-
ACGIH TLV	N/L	2 mg/m ³	N/L	-	-	-
NIOSH	2 mg/m ³	N/L	N/L	N/L	N/L	-
AIHA WEEL	N/L	N/L	N/L	-	-	-
Safe Work Australia HSIS	2 mg/m ³	N/L	N/L	-	-	-
HSE	N/L	N/L	2 mg/m ³	-	-	-

N/L = Not Listed

 EXPOSURE GUIDELINES
 Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

 PERSONAL PROTECTIVE EQUIPMENT
 Eyes: Not needed for normal use. Operate according to good working practices. Skin: No special precaution
must be adopted for normal use. Operate according to good working practices. Clothing: Not needed for normal
use. Operate according to good working practices. Not needed for normal
use. Operate according to good working practices.

 SPECIFIC ENGINEERING CONTROLS
 Not needed for normal use. Operate according to good working practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid
DESCRIPTION	Viscous, translucent gel with light odor.
SOLUBILITY	Very slightly soluble in cold water.



ODOR	Light odor								
FLAMMABILITY	May be combustible at high temperature								
ODOR THRESHOLD	Not available	рН	4.5 - 6.5	MELTING POINT	Not available				
BOILING POINT	Not available	FREEZING POINT	Not available	FLASH POINT	Not available				
SPECIFIC GRAVITY	0.9 - 1.030	EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available				
UPPER FLAMMABLE EXPLOSIVE LIMIT(S)		LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	VAPOR PRESSURE	Not available				
VAPOR DENSITY (AIR = 1)	Not available	RELATIVE DENSITY (WATER = 1)	Not available	log P (OCTANOL-WATER)	Not available				
AUTO-IGNITION TEMPERATURE	Not available	DECOMPOSITION TEMPERATURE	Not available	VISCOSITY	110 000 - 140 000 cps				

NOTES

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established
STABILITY	Stable under recommended storage conditions.
MATERIALS TO AVOID	Strong oxidants.
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur.
HAZARDOUS POLYMERIZATION	Will not occur.
POSSIBLITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Moisture, sunlight and extreme temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): Not available Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): Not available
SKIN CORROSION/IRRITATION	Based on available data, the classification criteria are not met. Contains ingredients (Propylene Glycol, Polydimethylsiloxane, Phenoxyethanol, Carbomer and Sodium Hydroxide) may cause skin irritation.
SERIOUS EYE DAMAGE/EYE IRRITATION	Based on available data, the classification criteria are not met. Contains ingredients (Phenoxyethanol and Sodium Hydroxide) may cause eye irritation.
RESPIRATORY OR SKIN SENSITIZATION	Respiratory sensitization: Due to lack of data the classification is not possible. Skin sensitization: Due to lack of data the classification is not possible.
GERM CELL MUTAGENICITY	Due to lack of data the classification is not possible.



YOUR TRUSTED PARTNER IN COMPOUNDING

CARCINOGENICITY	OSHA	No component of this product, present at ≥0.1%, is listed.				
	NTP	No component of this product, present at ≥0.1%, is listed.				
	IARC	CARBOMER (Polyacrylic acid) is listed in group 3 (not classifiable as to its carcinogenicity to humans). No other component of this product, present at ≥0.1% has been evaluated.				
	California Proposition 65	No component of this product, present at $\geq 0.1\%$ is known to the State of California to cause cancer, birth defects, or any other reproductive harm.				
ADDITIONAL CARCINOGENICITY	Due to lack of data the classification is not possible.					
REPRODUCTIVE TOXICITY	Due to lack of data the classification is not possible.					
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Due to lack of data the classification is not possible.					
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Due to lack of data the classification is not possible.					
ASPIRATION HAZARDS	Due to lack of data the classification is not possible.					
SIGNS AND SYMPTOMS OF EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.					
POTENTIAL HEALTH EFFECTS	Inhalation	Not expected to present a significant hazard under anticipated conditions of normal use.				
	Ingestion	May be harmful if swallowed.				
	Skin	Not expected to present a significant hazard under anticipated conditions of normal use. May cause skin irritation.				
	Eyes	May cause eye irritation.				

SECTION 12: ECOLOGICAL INFORMATION

ΤΟΧΙΟΙΤΥ	EC50: 48 Hr: Crustacea: (mg/L): Not available LC50: 96 Hr: Fish: (mg/L): Not available EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available
PERSISTENCE AND DEGRADABILITY	Not available
BIOACCUMULATIVE POTENTIAL	Not available
MOBILITY IN SOIL	Very slightly soluble in cold water.
OTHER ADVERSE EFFECTS	Not available
	This product is not intended to be released into the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UNITED STATES & CANADA	
UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable



PACKING GROUP	Not applicable	
AUSTRALIA		
UN PROPER SHIPPING NAME	Not dangerous good	
UN NUMBER	Not applicable	
CLASS	Not applicable	
PACKING GROUP	Not applicable	
HAZCHEM	Not applicable	
ENVIRONMENTAL HAZARDS	Not available	
SPECIAL SHIPPING INFORMATION	Not applicable	

SECTION 15: REGULATORY INFORMATION

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	X	Х	N/L	N/L
SODIUM HYDROXIDE 1310-73-2	Х	N/L	N/L	N/L	x	х	Х	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods Regulation	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L
SODIUM HYDROXIDE 1310-73-2	N/L	Listed as Schedule 7	Listed as Category III

SECTION 16: OTHER INFORMATION

REFERENCES	Available upon request			
ABBREVIATIONS AND ACRONYMS	CAS – Chemical Abstract Service; GHS – Global Harmonized System; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; TWA – Time Weighted Average; HSIS – Hazardous Substances Information System; STEL – Short Term Exposure Limit; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; LD50 – Lethal Dose, 50%; IARC – International Agency for Research on Cancer; NTP – National Toxicology Program; WHMIS – Workplace Hazardous Materials Information System; SARA – Superfund Amendments and Reauthorization Act; EPA – Environmental Protection Agency; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; HMIS – Hazardous Materials Information System; NIOSH – National Institute for Occupational Safety and Health; MSHA - Mine Safety and Health Administration; ACGIH - American Conference of Governmental Industrial Hygienists; IDHL - Immediately Dangerous to Health or Life; TLV – Threshold Limit Value; HSE – Health and Safety Executive; REL - Recommended Exposure Limit			
LAST REVISION	03/2019			
SUPERSEDES	09/2016			



DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.